

DTIC FILE COPY **HEADQUARTERS** UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MONROE, VIRGINIA 23651 A116600 Word Criticality Analysis 86 MOS: 32D Skill Level 1 7

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM				
	3. RECIPIENT'S CATALOG NUMBER				
32D AD-A116600					
4. TITLE (and Subtilio)	5. TYPE OF REPORT & PERIOD COVERED				
Word Criticality Analysis MOS: 32D	Final				
Skill Level: 142	6. PERFORMING ORG. REPORT NUMBER				
7. AUTHOR(a)	8. CONTRACT OR GRANT NUMBER(*)				
Dr. Alexander A. Longo					
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT HUMBERS				
Training Developments Institute ATTN: ATTG-DOR					
Fort Monroe, VA 23651 11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE				
Training Developments Institute	Sep 1981				
ATTN: ATTG-DOR	13. NUMBER OF PAGES				
FORE MONTOE, VA 23651 14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)				
	Unclassified				
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE				
16. DISTRIBUTION STATEMENT (of this Report)					
Approved for Public Release; Distribution is unli	mited.				
17. DISTRIBUTION STATEMENT (of the abetract entered in Black 20, if different fro	m Report)				
·					
18. SUPPLEMENTARY NOTES					
19. KEY WORDS (Continue on reverse elde if necessary and identify by block number)	·				
MOS Vocabulary Readability					
Comprehension of text					
Cyrriculum Development					
20 ABSTRACT (Continue on severae etch if necessary and identify by block number)	an danman of aminimality				
This report contains terms selected as having something the training/performance of tasks contained in the Manual (SM). These critical words were selected	ne respective MOS Soldier's by subject matter/job experts				
knowledgeable in their MOS. The vocabulary set a	used as the basis for critical				

word analysis was the Word Frequency Report based on the SM for the same MOS.

Contents and General Information


- 1. The Word Criticality Analysis (WCA) reports were reproduced exactly as generated via computer printout. The prime users of this document were fully cognizant of its contents and required no special instructions for interpretation. However, for the sake of other readers, the following brief description of contents is provided.
- 2. The WCA reports for most MOS are divided as follows:
 - o Skill Level I
 - o Skill Level II

However, due to the way some Soldier Manuals are constructed, the WCA for some MOS have both Skill Levels merged into one report. Each Skill Level is subdivided into two sections.

- a. <u>Introductory</u> these MOS critical words, identified by the code "TRN", represent terms unmatched on the master tape for that MOS. (Reasons for this include: words volunteered as critical; keypunching errors; updating master tapes per changes in SM, etc). <u>NOTE</u>: The number to the left of each critical word is its criticality index defined below.
- b. Main these MOS critical words are ranked alphabetically within a criticality index (defined below) that also is ranked from 1-5. The numbers to the right of the critical words represent the SM page on which that term appeared and its frequency of appearance. Example "222,4" is interpreted as: "4 times on page 222". NOTE: Due to computer programming/sort difficulties, the accuracy of correct page referencing is only approximately 80% for most reports. Improvements in programming and coding increased this accuracy to 95% in those reports completed last (i.e., dated Jan-Mar 82).

3. Word Criticality Index:

The following 5 point rating scale was used by a team of up to 3 subject matter experts from Army MOS proponent schools to rate each word selected as having some importance for training/performing a critical task:




"HEADQUARTERS"

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651

WCA

ORAD



MOS WORD LIST BY PAGE BATE 81007 1799 PAGE 11145 . 33 D ACCESS ANAPTHR ANJUST 6/1 scill tone 9,1 AGC 2,2 6,3 99,3 ALARH AL TONNENT 6/3 APBER ATBIR ATPLIFIER AMPLIFYING AMPLIFUDE AN/FCC-19 AM/FGC-29 AM/FGC-39 AM/MSQ-73 AMALYZE AMALYZE AMALYZER AMALYZER 216 99,3 211 99/3 AF CILLARY ANNUAL ARTENNA APO 4,1 AUDIO AUTODIN AUTOMATIC 5,1 5,1 2,1 99,1 2,3 22,7 22,7 22,4 22,3 AUTOVON AUXILIARY BANDWIDTH BASE BASEBAND 6,1 BIAS BINARY BINARY
CABLE
CCU
CCSD
CHARNEL
CHARVELIZATION
CIRCUIT
CIRCUITRY
COMMERCIAL
COMMERCIAL
COMPOSITE
CURRENT 1.1 3,2 2,28 68,10 CURRENT 2,1 1,3 60,5 68,6 3, į DAK DBHO DBRNC DRRNCO

C MOS WORD LIST BY PAGE BATE 81007 1725 PAGE DCA UCAC UCS ULGRES ULGRES ULSAY ULSIGNATUR UETLCTUR UCTTAL 99,12 99,1 28,1 28,1 31 99,2 6,18 2,2 2,1 99,6 £, 6,2 3,4 2,2 DIGITAL
DRY
DID
DUPLEX
ECM
EQUALIZATION
EQUALIZE
EQUALIZE
EQUALIZE
EQUALIZER
EQUIPMENT 2,2 6,8 9,1 9,1 9,3 € 6,1 2,1 6,4 1,2 99,47 99,33 C EQUIPMENT FREQUENCY FUSE HAZCUN INPEDANCE INMEFFECT INMOUSE INMERTICE 68,1 22,1 6,20. 2,2 6,1 99,53 6 2'1 2'3 1'4 99'2 2'1 3'1 99'1 3'1 1'2 **C** INSERVICE
INSERVICE
INSTATION
INBAND
KG19
KHZ
KHZ
KHZ
KHZ
KHZ
KHZ
HICRONAVE
MILLIMETER
HINIMIZE
MODE
MULTIPLEX
MULTIPLEX
MULTIPLEX
MULTIPLEX
ROSCILLOSCUPE
PARAMETER
RALK
RESISTOR
RIMCODWN
RIMCODWN
RIMCOR
RIMCOS
SUMSCRIBER
SUPERGRUUP
SYMC Ç 6,1 2,1 99,7 99,1 G 22,1 • 3/1 9/2 3/3 22/1 6/3 99/2 9/1 2/4 3/1 9,2 SYNC TCF 97.5 1,1 G TELECOMMUNICATION TELEGRAPH C

*

Ç

q

ę

HOS WORD LIST BY PAGE DATE BLOCT 1779 PAGE TELFPHONE 3/1 9/3 6/2 3/1 2/11 22/1 1/1 99/2 2/2 99/3 9/1 99/1 68/3 1/3 22/1 1/1 6/3 22/1 3/7 2/1 3/15 2/1 TELL TYPE TERMINAL THRESHULD 0 TLP THE RANCE TRANSFURMER 1/1 0 TRATISMISSIUN 2,6 99,1.. 0 TRAHSHIT TRANSMITTER TRUPO 0 TRUNK TSU VOLT 0 VOLTMETER AC APPLICATION 0 6,2 6,2 99,2 99,7 AR AUTHORITY AXIS BALANCE 6,1 2,1 22,3 99,2 99,3 BAND BINDING BIT 0 1,5 2,2 2,1 BRIDGE BRIDGED • 99.3 99.1 2.1 6.1 6.1 99.2 99.7 REIDGING BYPASS CHARGE 6 CHART CODE COMMON COMMUNICATION 98,1 3,8 6,9 22,1 0 COMPUTER COMPUTER 68,2 99,4 6,23 CONFIGURATION CUNNECT CONTROLLER 9,2 22,2 2,3 2:3 99:2 0:1 99:10 22:3 2:1 6:2 CONVERTER COUNTER CURVE CUTOFF DIAGRAM DISTURTION DIVERSITY 6,2 4,1 2,2 68,1 DUWNTIME DUAL ELECTRICAL ELEMENT FAULT

•

C

NOS WORD LIST BY PAGE DATE 81007 1799 PAGE FILTER FLUXUATION #M 22222222222 22,3 99,1 FORMULA FURSCOM 0 FOURLWIRE 615 FUNCTION C GAIN GENERATOR GRID GROUND GROUP 99,2 6,2 • 3,1 6,12 HARMUNIC HAZARDOUS HURIZUNTAL 0 HORIZONTAL
HZ
IDENTIFY
IPPULSE
INSTRUMENT
INSULATION
INTERNAL
INTERNAL 0 1,2 INTERNAL INTERSWITCH ISULATE JACKFIELDS JITTER JULIAN 2,2 99.16 2.1 3.3 6.1 2.20 6.1 22.3 99.5 2.1 2.1 2.1 2.2 2.5 6.1 2.2 99.1 3.1 6.1 6.1 6.1 JUMPER KARDEX KEYER LEVEL LINK 0 0 LOADING LONGITUDINAL 0 LOUP LUSS MALFUNCTION 99,14 2,1 2,1 99,10 99,6 1,1 1,1 Ø MARGIN MASTER HAXIMUM MEASURE MESSAGE METER MISMATCH MUDULATION
MUDULATION
MUDULES
MUNITUR
MULTICHANNEL •

0 0

				Mas wor	0 1 157	BY PAGE				PATE 81007 1759 PAGE 5	
EGAT IVE	6,1			••••		•, .,				A.	•
T T T T T T T T T T T T T T T T T T T	99,7									Ţ	
THURK	9911									Ž	
1150	22/1	6/14	2+14	1,7	99,5					*	
IN NCLATURE	3,1	2,2	98,1	31.1	6,3		•			7	
MIRAL		99/4	6,2	-						<u> </u>	
iiii iirnAtten		213	99,3							4	
HINDUCTIVE	2/1									<u>.</u>	
HREPURTABLE	612				•	and the second	•		- · ·		
i_call i_huñk	3,1	613								į.	
I-HUIR I-LINE	99,1									.	
DERNIRE		1/5			••••		*******			The second of th	•
CILLATOR	2,2 9	99,3								3	
T_OF -SERVICE	2/2				<u> </u>					The second of th	
IT_OF_TOLERENCE	6/1			_					_	3	
NE.	2,5	4.4			•					<u>.</u>	
ANEL	99,1 -	- 6,1	2/2						·		
1164 174		614 212	3,1	1+1						· •	
TTERN		2,4	22/2		•					•	
ΔK	1/1	2,6								The state of the second	
ASE	99,13	2.1		•						· į	
COMATT	68.2		سال بنسد			······································				<u> </u>	_
LOT	3,1 9	99,1	6,2		-	`				•	
.VG	2,1	-						•	•	, <u>•</u>	
RT REEMPT	1/3									A company of the comp	
REEMPT .	6,2	2,2	99,4					·		Į.	
ULSE	9,3	2,2	77/7						 ,	, Î	
ANGE	99,2 6	66.3	2,2	·						The state of the s	
ECOIL	4,1	,	-							•	
EPERFURATOR	6,2									And the second of the second o	
KNUTE	6/4	2,9	99,16	68,2	22,2	9,2		· .			
ESET ESTURAL	99,2		•			• •				· .	
ESTORAL FD	99,5 6,7	. 2,1		<u></u>						A	
ט ט	2+3				•					1	
DTATION .	4,1									•	
OUT INE		9,1								The second of th	
P		6.3						•		•	
<u>ş</u> l <u> </u>	22,5			· · · · · · · · · · · · · · · · · · ·						The second of th	
F	99,10 6		9,4	6,2	2,2			00.00			
IGNAL		3,2	2,19	31.7	22,3	6,13	4,3	99,98	64.3	}	
IGNALING		2,1 -	9,14 -	99,2		·				The state of the s	
PECTRUM		1,1	0 /-	44,2	31.1						
URSYSTEM	6,2	•-•								Se .	
WITCH	99,1 2	2201	2,5					• • • •		A CONTRACTOR OF THE PROPERTY O	
YMPTOMS	99.2		-							i .	
a control of the special of the second									· · · · · · · · · · · · · · · · · · ·	en de de la companya del companya del companya de la companya del la companya de	
										- 	
				•							
		-							****		
	•							_			
			•					•		· ·	

. .

MOS WORD LIST DATE 81007 1729 PAGE SYSTEM SYSTEM/CHANNEL SYSTEM/CIRCUIT 99/19 31/1 6,1 9 TAB TAPE TECHNICAL 2,1 0 1,10 6,1 99,7 3,1 TELECUMPERENCE TUNE TRACING O TROUBLESHOUTING VERTICAL 99.5 3,5 9,2 611 Q VFCT VFTG 99,9 6,2 9,1 9,1 6,2 2,10 3,6 O 614 211 3/1 2/1 CUNDITION
CONDITIONER
CONNECTOR
CUNTACT
CONTROL
COURDINATE
COUPLER
CRISSOVER
CYCLE
DATA
DEFFCTED
DEVIATION
DIAL
DIVISIONS 977:1 GU21
271
271
671
178
372
672
272
271
9973
973
272
977
977
977
272
271
9971
679
272
271
9971 C 6 DIVISIONS DX EIR EMIT O ENVELTIPE EXTERNAL FAULTY . 0 1 @ 0 0

MOS WORD LIST BY PAGE DATE BLOCT 1759 PAGE FIXED GUIDE HAMBSET DEAT 2.1 22,1 9,3 211 314 612 0,2 2,1 2,24 68,8 6,1 6,3 2,6 9,4 INCHMING INDICATOR 22,1 1.55 INTELLIGENCE JACK LIGHT LINE LUG 2,2 2,2 2,6 2,1 6,1 0 98/1... .22,1... 99,14 LOGS 0 MARK 2,3 MEDIA MINIMUM MINUTE OPEN OUTAGE OUTPUT 99.69 68.4 9.77 2,1 99,3. 0 __2,1 22,2 2,32 PERCENT PIN PLOT PHIDRITY RADIO 0 2,2 6,15 6,5 __1.1 RADIO-MULTIPLEX 99,2 RATE 22,2 RECURDER REFERENCE REJECTION RESOURCES 1,1 31,1 1,4 0 3,2 3,1 RETEST RMS SATURATE 22,2 SCA SENTANNUAL SENTETIXED SEND SENDITIVITY 4,1 2,1 99,1 6,2 22/1 2/1 2/3 6,2 2,1 6,1 2,3 3,1 2,13 99,7 2,1 68,1 22,1 3,1 2,1 31,2 9,2 SITE SIX-CHARACTER SCUPCE SWING SWITCHABLE SYNCHRUNISM TACTICAL TAG

MOS WORD LIST BY PAGE DATE 81007 1729 PAGE THREE-DIGIT • TURN-TH UP-TU-DATE VARIATION VISUAL VOICE 1/1 99,1 ACCIONT ACTIVE ACTIVITY 616 ADDRESS ADMINISTRATION ANNIHOMENTS APPLICATION OF THE PROPERTY OF 6,5 CGNOITIONING
CUITERS
DD
DISPLAY
DISTANT_END
DISTRIBUTION
FEET
FLAT
HITS
HOUKUP 6,1 99,7 22,1 99,2 2,3 2,1 6,1 2,1 6,1 99,3 2,5 99,7 IMMEDIATE MAINTENANCE 6,29 4,10 3,3 2,5 MAN-MADE NARKATIVE 1.2 2.1 6.1 99.16 59.11 31.1 1.1 6.2 99.6 3.1 6.2 6.7 22.1 6.2 99.2 2.1 1.7 OPERATUR PMP QC RECORD REGISTRATION 1,6 2,7 65,1 6,1 99,1 1,6 22,1 68,5 68,4 9,1 22,3 22,1 6,19 RELAY RELAY
REVERSE
SET-LP
SUP
SPIKES
SQT
STEP-RY-ST
TAMMS
TECHNICIAN
TIME 9,1 99,1 3,2 3,4 6,1 6,1 2,8 2,1 TWU 2 C

0 0 0

Ç

0

C

0

0

•

0

e

€


C 0

C œ.

Commy		<u>.</u> .		• .	KOS WORD	LIST BY PA	ie .	•		DATE \$1007 1726	PAGE 9
	Cencu	\$*	4 - 4			PV	•		- ·		-
RUMANE LICATIONS 3-1 LICATIONS 3-1 LICATIONS 3-1 LICATIONS 1-1 LIAN 1-1 LIA		•	011					•	₹.		
LUCATORS (A) (A) (B) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C		-							7		
(A)		*		•	~				*		
AMPO									Ţ		•
TANIUT				3 3/1	2,1				7		
IAN		į							į		
11		- Č							- 1		
SECT 31/1 9/1 b/b 12/1 0/2 2/3 1/1 99.4 68/1 CC 2/1 6/2 2/3 1/1 99.4 68/1 CC 2/1 6/2 2/3 CC 2/1 6/2 CC CC 2/1 6/2 CC CC CC CC CC CC CC		<i>}</i>							Ť		
STANT \$ 221 0729 223 121 99.4 08.1 CC		.			4/1	3,2 99	11	and the second	-{		
CC									1		
UNAC 2.2 C 99:1 APH 22:1 0,8 UNIONED 2:1 WEST 22:2 STORY 2:1 EARLL 3:1 RADIC 99:5 9:1 0:2 ERALL 3:1 ERALL		ζ ;			1-1	99,4 68	,1		•		
1991 22/1 6/8 100HOLD 22/1 100HOLD 22/2 1			2/1 6/	2					· · · · · · · · · · · · · · · · · · ·		
10											
UUNDED WIETT				_					7		

STORY 2:1 tU 2:1 5			2,1			*			1		
EU		ë i					•		Ţ		
S 3) 6-1											
		•	411	. 1					₹.		
Part		•							Ţ		
STODIC 99.5 9.1 6.2 2.3	0	•		.1	_				₹.	-	
Ters			99, 5 6.	1 6,2	2.2						
Service				V - 6.							
CEIVE 99.3 22.4 6.7 2.7 1.3 CEIVE 2.1 CO			61 21	45 1.1			•				
CEIVE 99.3 22.4 6.7 2.7 1.3 CEPTACLE 22.1 1.4 CEPTACLE 22.1 1.4 CEPTACLE 22.1 1.4 CEPTACLE 22.1 1.4 CEPTACLE		4			· · · · · · · · · · · · · · · · · · ·		·		<u>.</u>		
CEPTACLE 2/1 CO				6.7	2.7	1,3			7		
146		· ·			•••		•		•		
COT 99.1 COT 99.1 COT 99.1 COT 99.1 COT 99.2 COT 98.2 COT 98.2 COT 98.2 COT 99.3 COT 99		<u></u>	174						:		
TOP TOUS 1 1-3 HPDRARITY 99.1 ACC 90.2 UTAGE 1.4 99.1 1.4 99.1 2.4 1.4 1.4 99.3 66.3 22.5 9.4 6.11 3.4 2.18 1.1 EVI 2.1 6.3 1.1 6.3			6,2			,	,	•	3		
URS 1/3 HPDRARILY 99-1 98-5 31-1 6-3 3-2 2-1 LACC 98-2 LUTAGE 1-4 99-1 2-4 LUME 99-38 68-3 22-5 9-4 6-11 3-4 2-18 1-1 LU 1-1 6-3		1							l	•	
HPDRARILY 99.1 6.3 3.2 2.1 98.5 31.1 6.3 3.2 2.1 98.2 ULTANE 1.4 99.1 2.4 1.4 1.4 2.18 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1											· · · · · · · · · · · · · · · · · ·
ACC 98-22 LTANCE 1,4 99-1 2.4 LLUME 99-38 66-3 22-5 9,4 6-11 9.4 2-18 1-1 -V1 6 2-1 LUU 1-1 6-3	MPDRARILY										
DETAGE LUME 99.38 68.3 22.5 9.4 6.11 9.4 2.18 1.1 -V1 1.1 6.3 1 1 1 1 1 1 1 1 1 1 1 1 1				1 6/3	3,2	2,1			Į.	•	
11UME 99,38 68.3 22.5 9,4 6,11 3,4 2,18 1-1 1-1 6,3					·:				. 	and the second second	
1-V1				2,4	_				3		
		· ·	99,38 68,	3 22,5	9,4	6,11 3	,4 Z,15	1+1	ý		
	-V1		2/1			·	· ·		<u>}</u> -		•
	LU	ì	1.1 01						7		
		:							1	-	
		والمستحد المؤسود									
		€			•		•		, T		
		1.							*		
									· · · · · · · · · · · · · · · · ·		
		•							3.		,
		3							· ř	•	
	· · · ·		-						(
		3.			•			•	.\$		
		*							Ę		
	* * *								<u>\$</u>		
		L			-				3		
					•				Ĭ	*	
		•			•				4	•	
									≰		
		<u> </u>		_					4	•	
		1	•						3		•
		•	•						1		
		<u></u>							<u>.</u>		
The state of the s		,						AND REAL PROPERTY.			
		. 🚾 . 🕳							•		

HEADQUARTERS **ATA CONTROL NUMBER UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MOHRDE, VIRGINIA 23651



HEADQUARTERS UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MORROE, VIRGINIA 23651 DRAD WORD CRIT MOS-32D Skill Level - 2

0 DATE 81006 1721 PAGE . MOS WORD LIST BY PAGE 0 AUM TRYPE AUM TIUPE AUM YOFS AUM YOFS 1.1 11165. 30 h C Skirt lend 1.1 2 219, 1 50,1 1,7 RETAGES 0 CAL THE ATTON CARRIER 0 719, 3 50, 1 CIPCUIT 50.2 1. 34 COMMINICATE 50,1 1.5 50,4 50,2 210,1 50,6 60,2 1.4 219,1 1,11 1.7 0 7114 السام ن نا 10 40-40 DEAC 0 204.10 1.8 50.1 1.7 1.1 1.7 219.13 • DESCT IVATION DELAY DEVIATION DECETS 6 1. 1 50,1 1,2 50,2 210,2 FIT GENERATOR GROUP 219,8 1.1 50.4 219.1 HAPHOVIC TOUR THE TOUR TEN TOUR TEN TOUR TEN THE TEN T 1.4 219.12 50.6 • 219, 12 50, 6 50, 2 719, 7 50, 1 50, 1 219, 73 59, 16 219, 17 50, 30 219, 1 219, 3 50, 1 1, 1 1, 1 50, 1 50, 1 THER BUPT TON ST TTFR c RHP LEVEL 1 CHOITUBINAL LOSS CISC II LOSCOPE PECCHETCH AT TON 0 RECOPDER PESTER • SENST TIVETY 50,1 SHIPER GPOH 1.1 e TIN- MIN . TD-644 . 0 •

.

405 MIRD LIST BY PAGE DATE 91906 1721 PAGE TITERNA ACIE ACTUST CHANNEL CONTACT CONTROLLER 1.1 1.4 50.1 1.7 219.6 50.1 1.2 1, 1 50, 1 1, 1 217, 3 1, 1 1, 2 50, 1 1, 2 1, 3 219, 6 1, 1 219, 50, 2 50, 1 1, 6 1, 1 219 COUNTRATE 50, 1 DISTAL DISTABLE OTSTRACTION

DURATION

FLEWRIT

FUNCTION

FVALUATIONS

FILTER

FORMAT ERFOURTETES FUNCTION FUNCTION FUNCTION GENERATE INSTRUMENTS 1, 50,1 50,2 50,2 214,6 210,3 1,3 1,1 219,4 50,1 1,7 714,4 INSTRUMENT:
MESSAGE
METER
METER
METER
METER
MEGG
MILTIPCIMT
AGRERIAPAN 1.1 50.2 50.2 UNM ULE-HUUK ON-I INE 219,4 1,1 1,5 219,8 50,1 1,6 1,11 OR IGT VATOR PAD PARAMETER PATCH PHASE PLOT 50.1 1.2 1.1 50.1 219.3 1.1 219.2 1.8 1.3 POWER 1,3 RECEIVE PERFORME PESTIPATION POUTING b to

•

,

and the second s

. Control of the first of the second of the

THE WALL


O

MOS WORD LIST BY PAGE DATE 81 CO6 1721 PAGE 50.1 219.8 50.2 1.2 SCHP SCHI TITINGS SIGNAL STANDARD SYSTEM TELETYPENRITER TELETYPENRITER TELETYPENRITER TELETYPENRITER TELETYPENRITER TELETYPENRITER 5C.7 219,4 i. 2 50.1 1. 1 50.8 219.2 50.1 1.3 1.56 TRAFFIC TRANSMISSION 0 113 TRINK TSC TSO 1, 56 1, 3 219, 2 1, 3 219, 1 50, 1 1, 27, 219, 1 50, 1 219, 7 50, 7 1, 3 219, 4 Ø VARIATION VOICE VOITMETER VOLUME €, WE IGHT ING 63 FIREIT ACHISTMENTS CODE 219.4 1.2 1.12 C CONFERENCE DESTONATOS INDECATOR PATH 50.2 219.2 RATE RESCHEDULE SECHEDULE 1,2 50,1 1,3 50,1 STACE STACE SURVET SWITCH 1. 1 50. 1 1.6 1.10 212.1 TELECON LOG MEASURE 21%, 1 21%, 1 1,4 21%, 2 50, 5 RTH INH NOTSE STI FOT IVE 10 1 50,1 50,2 219,1 SHRSTANDARD ATHISPIERE nat sure

A STATE OF THE PARTY OF THE PAR

HOS WORD LIST BY PAGE CTOCHETPHINE
CONTINUENT
CONTINUEN 1.5 1.6 210.7 1.15 210.2 210.10 50.7 1.1 1.2 50.1 1.3 1.1 50.7 219.3 210.4 50.2 50.1 219.1 1.41 50.2 1.3

HEADQUARTERS PATA CONTROL NOME UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MODROE, VIRGINIA 23651



DATE FILMED